

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	671056	(memory or buffer\$3 or stor\$3 or register\$6 or queue\$3) near4 (level or state or status or threshold or predetermined or limit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:46
L8	227291	(upper or higher) and (lower) near3 (threshold or limit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:33
L9	38277	L7 L8	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 08:28
L10	1671	370/229.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 12:55
L11	6782	L9 ((send\$3 or forward\$3 or transmit\$4) near3 (memory or buffer\$3 or stor\$3 or register\$6 or queue\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 08:28
L12	52	L11 L10	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 08:30
L14	19635	9 ((full or exceed or cross or over or reach\$3) with (memory or buffer\$3 or stor\$3 or register\$6 or queue\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 09:27
L15	68	14 10	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 09:27

EAST Search History

L16	76653	((full or exceed or cross or over or reach\$3) with (forward\$3 or send\$3 or transmit\$4) with (memory or buffer\$3 or stor\$3 or register\$6 or queue\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 09:29
L17	33516	7 16	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 09:29
L18	264	10 17	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 09:45
L19	19	18 (fill\$3 near level)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:29
L20	2553	370/412.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:30
L21	1875	370/428.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:30
L22	554	370/429.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:30
L23	97	11 20	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:30

EAST Search History

L24	1875	370/428.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:56
L25	20	11 24	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:52
L26	554	370/429.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:56
L27	14	11 26	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 10:56
L28	34911	(memory or buffer\$3 or stor\$3 or register\$6 or queue\$3) near5 (level or state or status or threshold or predetermined or limit) near4 (low or small)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 12:52
L29	70157	(memory or buffer\$3 or stor\$3 or register\$6 or queue\$3) near5 (level or state or status or threshold or predetermined or limit) near4 (high\$3 or upper)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 12:58
L30	24674	(memory or buffer\$3 or stor\$3 or register\$6 or queue\$3) near5 (level or state or status or threshold or predetermined or limit) near4 (maximum or max or full or fill\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 12:54
L31	1501	28 29 30	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 12:54

EAST Search History

L32	4883	370/230-235.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 12:55
L33	61	31 32	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 12:55
L34	7415	(memory or buffer\$3 or stor\$3 or register\$6 or queue\$3) near5 (level or state or status or threshold or predetermined or limit) near2 ((high\$3 or upper) with (high near2 priority) or (priorit\$4) or (real-time))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:11
L35	285	32 34	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:06
L36	237	((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3) near3 (high near2 priority)) with ((threshold or limit or level) near3 (high\$3 or upper))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:08
L37	21	32 36	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:08
L38	17920	((threshold or limit) near2 (high\$2 or upper)) near5 (forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:14
L39	163	32 38	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:17

EAST Search History

L40	172135	(full or max or maximum) near2 (threshold or limit or level)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:18
L41	35	39 40	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:29
L42	1849	38 40	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:29
L43	4	24 42	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:31
L44	2	26 42	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:32
L45	9647	(low and medium and high) near3 (threshold or limit or level)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:34
L46	2741	7 and 45	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:34
L47	104	46 (medium with (high near priority))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:39

EAST Search History

L48	287	46 (four near3 (threshold or limit or level))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:40
L49	4	32 48	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:40
L50	3960	(four near2 (threshold or limit or level)) with (memory or buffer\$3 or stor\$3 or register\$6 or queue\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:08
L51	926	50 ((high or full or max or maximum) near5 (forward\$3 or transmit\$4 or send\$3 or sent or switch\$3 or drop\$4 or disgard\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:49
L52	21	32 51	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:49
L53	121	50 ((high near priority) with (buffer\$3 or queue or memory or stor\$3 or register\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:09
L54	9	53 32	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:20
L55	18164	((buffer or queue or memory or register\$3 or stor\$3) near3 (high)) with (forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:23

EAST Search History

L56	998514	(four near2 (threshold or limit or level)) or (low and medium and high)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:24
L57	5000	55 56	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:24
L58	142	32 57	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:26
L59	40	58 (high adj priority adj (data or packet or message))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:47
L60	32	59 ((low or empty) near2 (memory or buffer\$3 or stor\$3 or register\$6 or queue\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:52
L61	7	59 ((low or empty) near2 (threshold or limit or level) with (memory or buffer\$3 or stor\$3 or register\$6 or queue\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:56
L62	342903	(low\$2 or empty) same (medium or high\$2 or upper) same (high or full or max or maximum) near3 (threshold or limit or level)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:58
L63	1474	57 62	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:58

EAST Search History

L64	48	63 32	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 14:58
S1	1	10/813300	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/09 17:11
S2	670660	(memory or buffer\$3 or stor\$3 or register\$6 or queue\$3) near4 (level or state or status or threshold or predetermined or limit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:16
S3	227157	(upper or higher) and (lower) near3 (threshold or limit)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 13:46
S4	38249	S2 S3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S5	1669	370/229.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S6	1851	370/230.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S7	505	370/231.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18

EAST Search History

S8	773	370/232.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S9	155	370/233.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S10	131	370/234.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S11	2193	370/235.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S12	691	370/395.21.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S13	190	370/395.41.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S14	297	370/395.42.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:18
S15	82	S4 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:20

EAST Search History

S16	6777	S4 ((send\$3 or forward\$3 or transmit\$4) near3 (memory or buffer\$3 or stor\$3 or register\$6 or queue\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/09 17:21
S17	52	S16 S5	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/10 08:28